



Derma  
Consult  
GmbH  
Gesellschaft zur Prüfung von  
Dermatika

DC Brunnenstraße 61 53347 Alfter Germany

Phone: +49 - (0)2222 / 9108 - 10  
Fax: +49 - (0)2222 / 9108 - 40  
E-mail: info@dermaconsult.com  
Web: www.dermaconsult.com  
Date: 27.03.2017

## Expertise

### Examination of the Product

#### “Tattoo, Kindermotive”

PS 36217\_Ica BP28/EP 16012017

Concentration: undiluted

by Human Patch Test (Cosmetic Trial)

#### *Sponsor*

**TÜV Rheinland LGA Products GmbH**

Am Grauen Stein 29

51105 Köln

Germany

#### *Performing Laboratory*

**Derma Consult GmbH**

Brunnenstr. 61

53347 Alfter

Germany

## Study Details

*Type of study*.....: Determination of irritating effects to the skin with an occlusive patch test.

*Study Period*.....: March 2017

*Study Director*.....: Dr. med. H. Prieur

*Test subjects*.....: 50 (18-70 years; sex distribution non-standardized)

26 normal healthy, 4 eczema, 2 allergy and 18 subjects with sensitive skin

*Test site*.....: Back

*Concentration*.....: Undiluted

*Controls*.....: SDS (1% in water), water

## Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reactions in 13 subjects. The negative control water showed no reactions. None of the subjects showed any reaction to the test product. On the basis of the test results and under the test conditions, the product

### “Tattoo, Kindermotive“

is to be classified as 'harmless' as regards the possibility of skin irritation.

Signature:

Dr. med. H. Prieur  
Dermatologist - Allergist

Signature:

Dr. J. Nissen  
Pharmacist - M.D.R.A.

## Methodology

### *Introduction*

The epicutaneous patch test allows us to assess the primary skin irritation potential of cosmetic-finished products and raw materials.

### *Description*

All the work described in this expertise was conducted considering the guidelines by COLIPA/ COSMETICS EUROPE (Product test guidelines for the assessment of human skin compatibility 1997).

Because it was a study with humans, it was carried out taking into account the principle requirements of the Declaration of Helsinki (1964) and subsequent revisions.

Experiments were carried out on 50 volunteers (26 normal healthy subjects, 4 eczema patients, 2 allergy patients, 18 subjects with sensitive skin) between the ages of 18 to 70. Sex distribution was not standardized. The volunteers were clearly informed, verbally and in writing, regarding the nature of the study, the timetable, constraints and possible risks. They gave their written informed consent before participating in the study.

Participants could withdraw from the study at any time without giving reason. During the test period, the subjects refrained from using other substances on the test areas.

### *Inclusion criteria*

- informed volunteers
- age  $\geq$  18 years

### *Exclusion criteria*

- pregnant or lactating women
- blemishes or marks (tattoos, sunburn) which interfere with scoring
- any skin disease that may interfere with the aim of the study

### *Procedure*

The product was applied in a concentration as outlined above in square test-chambers (allergEAZE<sup>®</sup> clear Patch Test Chambers; SmartPractice<sup>®</sup>, Phoenix, AZ) to the backs of the panellists for a period of 48 hours. Proper adherence of the test patches was assured by the inclusion of sodium dodecyl sulphate (SDS) in one concentration (1%) as positive control. Water was used as a negative control.

The treatment sites were assessed for the presence of irritation by a trained evaluator using a 5 point visual scoring scale at 48 h (30 min after patch removal) and 72 h after patch application.

### ***Scoring scale***

<u>Erythema</u>	0: no E., 1: slight E., 2: significant E., 3: pronounced E., 4: strong E.
<u>Fissure</u>	0: no F., 1: minimal F., 2: significantly perceptible F., 3: pronounced F., 4: ulceration
<u>Scaling</u>	0: no Sc., 1: minimal Sc., 2: moderate Sc., 3: significant Sc., 4: closed scale crust

### **Results**

The test results outlining the data for erythema, scaling and fissure formation on a per subject base for the test product are attached in tabulated form.

### **Literature**

*Magnus Lindberg and Mihaly Matura:*  
“Patch Testing” in  
J. D. Johansen, P.J. Frosch, J.-P. Lepoittevin (Eds.),  
Contact Dermatitis 5<sup>th</sup> Edition  
Springer-Verlag, Berlin Heidelberg, Germany (2011), pp. 439-464

*J.-M. Lachapelle, H. I. Maibach:*  
“Patch Testing and Prick Testing - A practical Guide  
Official Publication of the ICDRG“  
Third Edition  
Springer-Verlag, Berlin Heidelberg, Germany (2012)

---

***Appendix:*** test protocol

No.	Type	after 48 h			after 72 h		
		E	F	S	E	F	S
1	E	0	0	0	0	0	0
2	E	0	0	0	0	0	0
3		0	0	0	0	0	0
4	S	0	0	0	0	0	0
5		0	0	0	0	0	0
6	S	0	0	0	0	0	0
7		0	0	0	0	0	0
8	S	0	0	0	0	0	0
9	A	0	0	0	0	0	0
10	S	0	0	0	0	0	0
11		0	0	0	0	0	0
12		0	0	0	0	0	0
13	S	0	0	0	0	0	0
14		0	0	0	0	0	0
15	S	0	0	0	0	0	0
16		0	0	0	0	0	0
17		0	0	0	0	0	0
18		0	0	0	0	0	0
19	S	0	0	0	0	0	0
20		0	0	0	0	0	0
21		0	0	0	0	0	0
22	S	0	0	0	0	0	0
23	S	0	0	0	0	0	0
24		0	0	0	0	0	0
25		0	0	0	0	0	0
26	S	0	0	0	0	0	0
27		0	0	0	0	0	0
28		0	0	0	0	0	0
29	S	0	0	0	0	0	0
30		0	0	0	0	0	0
31	S	0	0	0	0	0	0
32		0	0	0	0	0	0
33	E	0	0	0	0	0	0
34		0	0	0	0	0	0
35		0	0	0	0	0	0
36		0	0	0	0	0	0
37	S	0	0	0	0	0	0
38	S	0	0	0	0	0	0
39	E	0	0	0	0	0	0
40		0	0	0	0	0	0
41		0	0	0	0	0	0
42	S	0	0	0	0	0	0
43		0	0	0	0	0	0
44	A	0	0	0	0	0	0
45		0	0	0	0	0	0
46		0	0	0	0	0	0
47	S	0	0	0	0	0	0
48	S	0	0	0	0	0	0
49		0	0	0	0	0	0
50	S	0	0	0	0	0	0
<b>SUM</b>		0,0	0,0	0,0	0,0	0,0	0,0

Erythema (E): no E.: 0, slight E.: 1, clear E.: 2, severe E.: 3, very severe E.: 4  
 Fissures (F): no F.: 0, minimal F.: 1, clearly visible F.: 2, distinct F.: 3, ulceration: 4  
 Scales (S): no S.: 0, minimal S.: 1, clearly visible S.: 2, moderate S.: 3, distinct S.: 4

S: subjects with sensitive skin  
 E: patients with eczema  
 A: patients with allergy

No.	Type	after 48 h			after 72 h		
		E	F	S	E	F	S
1	E	0	0	0	0	0	0
2	E	0	0	0	0	0	0
3		0	0	0	0	0	0
4	S	0	0	0	0	0	0
5		0	0	0	0	0	0
6	S	0	0	0	0	0	0
7		0	0	0	0	0	0
8	S	0	0	0	0	0	0
9	A	0	0	0	0	0	0
10	S	0	0	0	0	0	0
11		0	0	0	0	0	0
12		0	0	0	0	0	0
13	S	0	0	0	0	0	0
14		0	0	0	0	0	0
15	S	0	0	0	0	0	0
16		0	0	0	0	0	0
17		0	0	0	0	0	0
18		0	0	0	0	0	0
19	S	0	0	0	0	0	0
20		0	0	0	0	0	0
21		0	0	0	0	0	0
22	S	0	0	0	0	0	0
23	S	0	0	0	0	0	0
24		0	0	0	0	0	0
25		0	0	0	0	0	0
26	S	0	0	0	0	0	0
27		0	0	0	0	0	0
28		0	0	0	0	0	0
29	S	0	0	0	0	0	0
30		0	0	0	0	0	0
31	S	0	0	0	0	0	0
32		0	0	0	0	0	0
33	E	0	0	0	0	0	0
34		0	0	0	0	0	0
35		0	0	0	0	0	0
36		0	0	0	0	0	0
37	S	0	0	0	0	0	0
38	S	0	0	0	0	0	0
39	E	0	0	0	0	0	0
40		0	0	0	0	0	0
41		0	0	0	0	0	0
42	S	0	0	0	0	0	0
43		0	0	0	0	0	0
44	A	0	0	0	0	0	0
45		0	0	0	0	0	0
46		0	0	0	0	0	0
47	S	0	0	0	0	0	0
48	S	0	0	0	0	0	0
49		0	0	0	0	0	0
50	S	0	0	0	0	0	0
SUM		0,0	0,0	0,0	0,0	0,0	0,0

Erythema (E): no E.: 0, slight E.: 1, clear E.: 2, severe E.: 3, very severe E.: 4  
 Fissures (F): no F.: 0, minimal F.: 1, clearly visible F.: 2, distinct F.: 3, ulceration: 4  
 Scales (S): no S.: 0, minimal S.: 1, clearly visible S.: 2, moderate S.: 3, distinct S.: 4

S: subjects with sensitive skin  
 E: patients with eczema  
 A: patients with allergy

No.	Type	after 48 h			after 72 h		
		E	F	S	E	F	S
1	E	1	0	1	1	0	1
2	E	1	0	1	1	0	1
3		0	0	0	0	0	0
4	S	1	0	0	1	0	0
5		0	0	0	0	0	0
6	S	0	0	0	0	0	0
7		0	0	0	0	0	0
8	S	2	0	0	2	0	0
9	A	0	0	0	0	0	0
10	S	0	0	0	0	0	0
11		0	0	0	0	0	0
12		0	0	0	0	0	0
13	S	0	0	0	0	0	0
14		0	0	0	0	0	0
15	S	0	0	0	0	0	0
16		0	0	0	0	0	0
17		0	0	0	0	0	0
18		0	0	0	0	0	0
19	S	1	0	0	1	0	0
20		0	0	0	0	0	0
21		0	0	0	0	0	0
22	S	0	0	0	0	0	0
23	S	1	0	1	1	0	1
24		0	0	0	0	0	0
25		0	0	0	0	0	0
26	S	1	0	0	1	0	0
27		0	0	0	0	0	0
28		0	0	0	0	0	0
29	S	0	0	0	0	0	0
30		0	0	0	0	0	0
31	S	1	0	0	1	0	0
32		0	0	0	0	0	0
33	E	0	0	0	0	0	0
34		0	0	0	0	0	0
35		0	0	0	0	0	0
36		0	0	0	0	0	0
37	S	1	0	0	1	0	0
38	S	0	0	0	0	0	0
39	E	2	0	2	2	0	2
40		0	0	0	0	0	0
41		0	0	0	0	0	0
42	S	1	0	0	1	0	0
43		0	0	0	0	0	0
44	A	0	0	0	0	0	0
45		0	0	0	0	0	0
46		0	0	0	0	0	0
47	S	1	0	1	1	0	2
48	S	0	0	0	0	0	0
49		0	0	0	0	0	0
50	S	2	0	2	2	0	2
SUM		0,32	0,0	0,16	0,32	0,0	0,18

Erythema (E): no E.: 0, slight E.: 1, clear E.: 2, severe E.: 3, very severe E.: 4  
 Fissures (F): no F.: 0, minimal F.: 1, clearly visible F.: 2, distinct F.: 3, ulceration: 4  
 Scales (S): no S.: 0, minimal S.: 1, clearly visible S.: 2, moderate S.: 3, distinct S.: 4

S: subjects with sensitive skin  
 E: patients with eczema  
 A: patients with allergy